

PRARA LEATHERS PVT LTD I PRARA ASIA VIETNAM I AVANTI LEATHERS LTD



**SPRING SUMMER 2024** 

### WHO WE ARE

We, PRARA / AVANTI LEATHER GROUP, with over 40 years of experience in leather manufacturing, we as a company began finished leather business in 2013 with a passion for leather manufacturing with a solid and controllable base of raw materials which makes us world class finished leather makers with an italian aroma, We are a TOP QUALITY SMALL SKIN MANUFACTURERS (suede and grain leather) providing sustainable ecology to future generations with our strong technical capabilities. in addition we added our line to indian buff line.

We integrate environmental and social principles in our businesses, ensuring that what comes from nature goes back to nature and people.

### **OUR VISION**

To be the top quality producer of high fashion, environment friendly and sustainable finished leather from our world class manufacturing facilities. We will continue to be value creators to our customers worldwide.

and to be globally number #1 finished leather manufactures from india in small (Goat & Sheep) by 2025 and leading value provider in buff articles to key brands.

### **OUR MISSION**

To br the most sustainable and reliable partners of the fashion leather industry taking the environment as a major factor. Lead developers and front runners in ECO friendly and biodegradable leather with our responsibility to environment.

ad catering to premium brands and consumers as a milestone in to our business that delivers value through integrity in business and excellence in products and services.

"To be a responsible value creator for all our stakeholders".







### Sustainability put into practice

Our vision is the implementation of Best Available Techniques combined with our own in-house R&D innovations.

Sustainability is not a project for us, it is part of our company's DNA and can be found in all our daily business.

Social Responsibility

Environment Responsibility

High quality and longevity are our set standards and lead to a lower environmental impact throughout the life-cycle of all our products.

### 4 R's at Avanti Leathers



### Reduce

- · Water by 30%
- Chemicals by 30%
- Electricity use by 50%
- Amount of waste that goes into landfill



### Reuse

- Reuse of wastewater through our special ETP
- Reuse of chemical sludge as bio-fertilizer (in-house patent)
- Reuse of shaving dust as natural fillers



### Recycle

- Solid Waste
- I Shaving and trimming waste → Natural protein
- I Sludge → Bio manure
- Liquid Waste Treated ETP water 60-70 % back to processing + 30 - 35 % to plantation



### Rethink

- The Qualus Process Chemical saving 15 %, Water saving 30 - 40 %
- Bio Manure Production
   Elimination of heavy metals-PATENTED TECHNOLOGY
- Tree Plantation-Planted 200,000 trees
- · ETP
- Solar systems 200,000 liters hot water/day, 50 - 60 % electricity needed for the plant



SDGs AT AVANTI LEATHERS



## ARTICLE INDEX SPRING SUMMER 2024

### **SUEDES**

BABY SUEDE KID SUEDE BURRO SUEDE AMORE SUEDE JUMBO SUEDE FLUO SUEDE

### DRESS CASUAL

ANCESTAL
SILKY DEAL
MORBIDO
METRO GOAT
VENUS
NATURO
NIZER
HELIOS NATURAL
ECLIPSE
VACHETTA CALF
JAZZ NAPPA
SO GUMMY NAPPA

### OTHER SS2023 COLLECTIONS

SUSTAINABLE COLLECTIONS
BIANCO COLLECTIONS

### **DRESS**

**VEG KID** 

CAPRA SAUVE
POLARIS
VEG DESIRE
PLUTO
SATURN
ALTROZ
HELIOS
SAUVE
SOFTANIL
EUCLASE

### **SOFFTS**

BELLA NAPA GALAXY URMI ARLEE

### METALLIS / FOILS

TUMBLE METALLIC
MAYA METALLIC
AURORA METALLIC
NANO FOIL
AVFCG 01
IRIDESCENT CRACKLE















PRARA LEATHERS PVT LTD I PRARA ASIA VIETNAM I AVANTI LEATHERS LTD



SUEDE COLLECTIONS



### **BURRO SUEDE**



CST0

Color Range: All

Size


: 4.0 - 7.0 sf

Thickness : 0.7-0.9 mm Oil Content : 6-8%

Suede with a butter hand feel, electrifying sheen and a product uplift from commercial one.







Urbolon

**CSTO** 

Color Range: All

Size


: 3.5-5.0 sf

Thickness: 0.6-0.8 mm

Oil Content: 6-8%

Suede with a velvet and butter hand feel, electrifying sheen high end suede with a real italian feel.

### JUMBO SUEDE



Color Range: All

Size

: 6.0 - 9.0 sf

CSTO-

Thickness: 0.7-0.9 mm

Oil Content: 6-8%

Hybrid of softness in combination with velvety handle touch contribute to its wide usage in all variety of shoes and tall boots.

























### **FLUO SUEDE**



CSTO Color Range: As per palette

Size : 2.5-4.0 sf

Thickness: 0.6-0.8 mm Oil Content: 6-8%



### **VEG KID**







CST0

Color Range: All

Thickness: 0.6-0.8 mm

Size

: 2.5-4.0 sf




### **CAPRA SAUVE**

Color Range: All

Thickness: 0.7-0.8 mm

**CSTO** 



Size

Oil Content: 6-8%

: 3.0-4.0 sf



### **POLARIS**



### Rilana



CST0

Color Range: All

Thickness: 0.6-0.8 mm

Size

: 2.5-4.0 sf



### **VEG DESIRE**







**CSTO** 

Color Range: All


Thickness: 0.6-0.8 mm

Size

: 2.5-4.0 sf



**PLUTO** 





CST0

Color Range: All


Thickness: 0.6-0.8 mm

Size

: 3.0-4.0 sf



### **SATURN**



### Rilana



CST0

Color Range: All

Thickness: 0.6-0.8 mm

Size

: 2.5-4.0 sf



### **ALTROZ**







CST0

Color Range: All

Thickness : 0.9-1.0 mm

Size

: 4.0-7.0 sf



### **HELIOS**



### TIBERLINO



**CSTO** 

Color Range: All

Thickness : 1.1-1.4 mm

Size

: 5.0-8.0 sf



### SAUVE





CST0

Color Range: All

Thickness: 0.7-0.9 mm

Size

: 4.0-6.0 sf Oil Content: 6-8%



### **SOFTANIL**



**CSTO** 

Color Range: All

Thickness: 0.7-0.9 mm

: 5.0-7.0 sf



### **ECLIPSE**



Urbolon (16)

**CSTO** 



BLACK



**POSELINO** 



LENEI

Color Range: Medium-Dark


Thickness: 0.9-1.1 mm

Size : 5.0-8.0 sf



### **ANCESTAL**







**CSTO** 

Color Range: All


Thickness: 0.7-0.9 mm

Size

: 4.0-6.0 sf



### SILKY DEAL



### Rilana



**CSTO** 

Color Range: All

Thickness: 0.8-1.0 mm

Size

: 3.5-6.0 sf



### **MORBIDO**

## Golino URBOLON CORK LENEI MARNILA GREEN FIG RILANA TIPARLINO

**CSTO** 

Color Range: All


Thickness: 0.7-0.8 mm

Size

: 3.0-4.25 sf



### **METRO GOAT**







**CSTO** 

Color Range: All

Thickness: 0.7-0.9 mm

Size

: 3.0-4.0 sf



### **VENUS**

### MARNILA



**CSTO** 

Color Range: All


Thickness: 0.6-0.8 mm

Size

: 3.0-4.0 sf



### **NATURO**







**CSTO** 

Color Range: All

Thickness : 0.7-0.9 mm

Size

: 3.0-5.0 sf



### **NIZER**



### **Green Fig**



**CSTO** 

Color Range: All

Thickness: 0.8-1.0 mm

Size

: 4.0-6.0 sf



### **HELIOS NATURAL**



### Marnila



**CSTO** 

Color Range: All Thickness : 1.1-1.4 mm

Size

: 5.0-8.0 sf



### **EUCLASE**



CST0

Color Range: All


Thickness: 0.7-0.9 mm

Size

: 4.0-5.5 sf



### **VACHETTA CALF**



Urbolon








Color Range: Medium-Dark

Thickness: 0.8-1.0 mm

Size : 6.0-8.0 sf Oil Content : 6-8%

CST0

JAZZ NAPPA





**CSTO** 

Color Range: All


Thickness: 0.8-1.0 mm

Size

: 6.0-9.0 sf



### SO GUMMY NAPPA





**CSTO** 

Color Range: All


Thickness: 0.8-0.9 mm

Size

: 6.0-9.0 sf Oil Content: 6-8%



### **BELLA**



### Lenei



CST0


Color Range: All

Thickness: 0.6-0.8 mm

Size

: 3.0-5.0 sf

### NAPA GALAXY





**CSTO** 

Color Range: All

Thickness: 0.6-0.8 mm

Size

: 3.0-5.0 sf







CST0

LENEI

Color Range: All Thickness : 0.6-0.8 mm

**GOLINO** 

Size : 3.0-5.0 sf

**MARLINA** 

CORK



### **ARLEE**

# Marnila URBOLON CORK LENEI GREEN FIG RILANA TIPARLINO

**CSTO** 

Color Range: All Thickness : 0.5-0.7 mm

Size


: 3.5-6.5 sf



# **TUMBLE METALLIC**



## **Bopima**



**CSTO** 

Color Range: All


Thickness: 0.8-1.0 mm

Size

: 4.0-7.0 sf



## MAYA METALLIC







CST0

Color Range: All


Thickness: 0.7-0.9 mm

Size

: 4.0-6.0 sf



## **AURORA METALLIC**



# Tiparlino



**CSTO** 

Color Range: All

Thickness: 0.8-1.0 mm

: 6.0-9.0 sf Size



## NANO FOIL



### Pale Green



CST0

Color Range: All

Thickness: 0.4-0.6 mm

Size

: 3.0-5.0 sf

AVFCG 01

Silver 3002

CST0

Color Range: As per palette


Size : 6.0-9.0 sf

Thickness: 0.8-1.0 mm

Oil Content: 6-8%

A irresdicent foil which makes unique offering to high end night life.

## IRIDESCENT CRACKLE



Pink 3004

**CSTO** 

Color Range: As per palette

Size

: 6.0-9.0 sf

Thickness: 0.8-1.0 mm

Oil Content: 6-8%

A irresdicent foil with crackle effcet which makes unique offering to high end night life.









**SILVER 3002** 





























# PRARA


PRARA LEATHERS PVT LTD I PRARA ASIA VIETNAM I AVANTI LEATHERS LTD



**SUSTAINABLE COLLECTIONS** 



### **CF MURENO**



Rilana

**CSTO** 

Color Range: All

Size

: 4.0-6.0 sf

Thickness : 0.7-0.9 mm

Oil Content: 6-8%

Eco Material for new age where the Inspiration is drawn from the "tropical houses of yore" to give light faded look and soft touch.



### **CF LILIAN**

Tiparlino

CST0

Color Range: All

Size

: 4.0-7.0 sf

Thickness: 0.7-0.9 mm

Oil Content: 6-8%

A top notch spongy surface with the soothing shine and soft silky feel. Ideal for shoe where comfort at foot is pre-requissite.



### MF SUEDE

Golino

**CSTO** 

Color Range: All

Size

: 2.5-4.0 sf

Thickness: 0.6-0.8 mm

Oil Content: 6-8%

Fine nap with an electrifying appearance combined with silky touch on the Metal free base



### MF LUCIA

Golino

**CSTO** 

Color Range: All

Size

: 3.0-4.5 sf


Thickness: 0.6-0.8 mm

Oil Content: 6-8%

Supremely soft and supple this goat nappa displays a fineness of grain in Chrome Free/ Metal Free base.



### MF VIRA



CSTO

Color Range: All

Size

: 4.0-7.0 sf


Thickness: 0.7-0.9 mm

Oil Content: 6-8%

A Classic Metal -free sheep Napa with wet and waxy hand feel which makes a great leather for dress & dress casuals which is also economic and ecologically sustainable.



### MF LUXE



**Green Fig** 

CST0

Color Range: All

Size

: 4.0-7.0 sf


Thickness: 0.7-0.9 mm

Oil Content: 6-8%

Ultra soft nappa with the enticingly soft warm powdery feel and the natural look makes the material a preffered choice for high quality metal free napa base.



### **OLV SONATA**



Rilana

**CSTO** 

Color Range: Medium - Dark Size : 4.0-6.0 sf


Thickness: 0.7-0.9 mm

Oil Content: 6-8%

Made on a soft Olive tannage base, this sheep nappa adds the required eco-friendly touch to any collection.



### **OLV HELENA**



**Green Fig** 

**CSTO** 

Color Range: Medium - Dark

: 2.5-4.25 sf

Thickness: 0.6-0.8 mm

Oil Content: 6-8%

Size

Made on a soft Olive tannage base- Hybrid of softness in combination with velvety handle contribute to its wide usage in shoe.


CF / MF FODERA PALMA CF / MF FODERA STIVALI

Cork

Bianco



**CF ARGOS** 



Marnilna

**CSTO** 

Color Range: Medium - Dark Size

: 3.5-5.5 sf

Thickness: 0.7-0.9 mm

Oil Content: 6-8%

As it shows the natural semi gloss full grain, adding a level of surface interest to the leather category that has been so widely used in recent seasons in chrome free base.

**DEER SOFTANIL** 



Lener

**CSTO** 

Color Range: All

Size

: 6.0-.9.0 sf

Thickness: 0.8-1.0 mm

Oil Content: 6-8%

The supple, pliable, soft feel and warm, cheesy touch is the feel-good element which makes this one unique. The look increases the desirability further.

MILFY



**CSTO** 

Color Range: All

Size

: 6.0-.9.0 sf

Thickness: 0.9-1.0 mm

Oil Content: 6-8%

Urbolon

The supple, pliable, soft feel and warm, cheesy touch is the feel-good element which makes this one unique. The look increases the desirability further.

### **Our Sustainable Tanning Methods**



Chrome and metal free leathers considering all sustainability parameters of leather production.

We reduce water consumption and TDS by 40%



Pure veg tannage from mediterranean olive trees providing high quality, biodegradable leather that is skin - friendly, free from heavy metals and save to work with.



Synthetic tannage that stabilizes the collagen to ensure a longproduct life, simultaneously the articles are kept natural to ensure biodegradability if required.



Lite leathers provide multiple advantages such as lower water and chemical intake, as well as an improved comfort through the reduced weight.




















MARNILA

**TIPARLINO** 

### Sustainability put into practice

Our vision is the implementation of Best Available Techniques combined with our own in-house R&D innovations.

Sustainability is not a project for us, it is part of our company's DNA and can be found in all our daily business.

Social Responsibility

Environment Responsibility

High quality and longevity are our set standards and lead to a lower environmental impact throughout the life-cycle of all our products.

### 4 R's at Avanti Leathers



Reduce

- Water by 30%
- · Chemicals by 30%
- · Electricity use by 50%
- Amount of waste that goes into landfill



Reuse

- Reuse of wastewater through our special ETP
- Reuse of chemical sludge as bio-fertilizer (in-house patent)
- Reuse of shaving dust as natural fillers



Recycle

- Solid Waste
- I Shaving and trimming waste → Natural protein
- I Sludge → Bio manure
- Liquid Waste Treated ETP water 60-70 % back to processing + 30 - 35 % to plantation




### Rethink

- The Qualus Process Chemical saving 15 %, Water saving 30 - 40 %
- Bio Manure Production
   Elimination of heavy metals-PATENTED TECHNOLOGY
- Tree Plantation-Planted 200,000 trees
- ETP
- Solar systems 200,000 liters hot water/day, 50 - 60 % electricity needed for the plant



SDGs AT
AVANTI
LEATHERS





BIANCO COLLECTION



CAPRA NAPA		
		* 9
		, e <sup>3</sup>
	19 U g	
	***	
		La V

Thickness: 0.6 - 0.8 mm

Size: 3.0-4.5 SF

Classy Goat Nappa great for spring line

## CAPRA NAPA PERLATO

Thickness: 0.6 - 0.8 mm

Size: 3.0-4.5 SF

Revolving around simplify theme, a metallic effect on top is created to give claasy look and a old world charm.



# CAPRA FRESATA

Thickness: 0.7 - 0.9 mm

Size: 4.0-7.0 SF

From Capra Definite pattern which ensures better cutting and round feel makes it ideal for wide range of mouldability.

# ROCKY MATT

Thickness: 0.9 - 1.1 mm

Size: 4.0-7.0 SF

Fineness of natural grain coupled with distinctive natural shine makes it an ideal material for elegant casual & sneakers shoe creation.



# IMOLA FRESATA

Thickness: 0.8 - 1.0 mm

Size: 6.0-9.0 SF

Definite pattern which ensures better cutting and round feel makes it ideal for wide range of mouldability.

# DEER SOFTANIL

Thickness: 0.8 - 1.0 mm

Size: 6.0-9.0 SF

The supple, pliable, soft feel and warm, cheesy touch is the feel-good element which makes this one unique. The look increases the desirability further.



IMOLA NAPA				FKA
		%	\$1	
Thickness: 0.7 - 0.9 mm		Size: 4	4.0-7.0 SF	
Classy <mark>Sheep Nappa gre</mark> a	at for spring line.			
IMOLA NAPA PER	RLATO			

Thickness: 0.7 - 0.9 mm

Size: 4.0-7.0 SF

Revolving around simplify theme, a metallic effect on top is created to give claasy look and a old world charm.




MOLA F	RESATA	

Thickness: 0.8 - 1.0 mm

Size: 6.0-9.0 SF

Definite pattern which ensures better cutting and round feel makes it ideal for wide range of mouldability.



Thickness: 0.8 - 1.0 mm


Size: 6.0-9.0 SF

The supple, pliable, soft feel and warm, cheesy touch is the feel-good element which makes this one unique. The look increases the desirability further.

FODERA PALMA	FODERA STIVALI
9	
×	
,	
ii.	
9	
Thickness: 0.6 - 0.8 mm Size: 2.5-4.5	SF Thickness: 0.6 - 0.9 mm Size: 4.0-7.0 Si
'Perfectly suited for footbed, lining and counter lining. Available in Chrome /	Combining multiple qualities like heat and light fastness this sheep leather suits as
Chrome Free / Metal Free ranges.	best second layer of human body.Available in Chrome/Chrome Free/Metal Free
HALO	Category.
Production of the Control of the Con	
Thickness: 1.2 - 1.4 mm	Size: 12.0-18.0 SF

Medium soft corrected grain nappa which can be used for all kind of shoes and a best commodity product.






Thickness: 1.6 - 1.8 mm

Size: 12.0-18.0 SF

This Gusty tannage is plump yet very soft and drapey. Natural Milled softnessand round feel. Barefoot is great for all casual and outdoor styles. Great for leather goods.




Thickness: 0.9 - 1.1 mm

Size: 12.0-18.0 SF

It's a soft Classic " replica of commodity " finds it use in products where softness and uniformity is concerned.





SPRING SUMMER 2024

**COLOUR PALLETE** 

# Spring Summer 2024





# Spring Summer 2024



























### CORPORATE OFFICE

No: AP 864/29, H Block, 12th Main Road, 2nd Street, Anna Nagar, Chennai - 600 040. Tamilnadu, India. Phone: +91 44 2616 0191

### AVANTI LEATHER LIMITED

Kambakam Village, Varadaiahpalem Post and Mandal Chitoor District, Andhra Pradesh - 517541. Phone: 08576-249930 / 31

### PRARA LEATHER PVT LTD

No: 31/2A-2 Ammoor Road, Manthangal Village, Ranipet, Vellore District - 632402. Tamilnadu Phone : 04172-275699 / 799

### PRARA ASIA - VIETNAM

The Grace Building 71, Hoang Van Thai, Quarter 1, Tan Phu Ward, District 7, Ho Chi Minh City, Vietnam, Zip postal code 756000. Phone +84 707 620 555

### **CONTACTS AS**

E-Mail : ravi@praraleathers.in / Helpdesk@praraleathers.in www.avantiprara.com